25) GMD/PAG/M-81-65 1 June 1965 25X1A MEMORANDUM FOR: NSA/TCO ATTENTION: THROUGH: NSA/LO/NPIC SUBJECT: Chinese Shipyards and Port Facilities REFERENCE: Requirement No. 12037-64 (Partial answer) , NPIC Project In response to the reference requirement, the attached material is forwarded herewith: Pre-release of Detailed Photographic Interpretation Report, "Shang-Hai Port Facilities, China". 25X1A Colonel, USA Assistant for Photographic Analysis, NPIC Attachment: As stated above Distribution: Orig & 1 - NSA/TCO w/att

1 - NSA/LO/NPIC w/att

1 - PAC/NPIC

1 - PAC/NPIC

1 - IPO/PAG/NPIC

1 - OND/PAG/NPIC w/att

1 - CIA/PID **DECLASS REVIEW by NIMA/DOD** 1 - CIA/PID 1 - OS/MPIC 2 - OS/MPIC W/att 1 - DIAXX-4/LO/MPIC 25X1A 1 - AFMIE-BA Attn: Lt. Co 1 - OPNAV 922Y3 Attn: Car 1 - Army/SPAD Attn: Major 1 - DIAXX-3A w/att 1 - DIAXX-3C w. st

5-17471

25)

25

GMD/PAG/M-81-85 dated 1 June 1965

Shang-Hai Port Faciliti

25X1A


Shang-Hai Port Facilities and associated wharfage is located on both banks of the Hung-Pu Chinag (River) at 31 14N 121 29E (Figure A). The port consists of approximately 25 nm of river front extending southward from its confluence with the Chiang Chiang (Yangtze River).


This river port is subject to continuous silting and mud flats are prevalent, seriously limiting alongside depths. This results in long approaches to pontoons and wharves. Primarily a lighter port, pontoons and small offshore wharves are predominate in most of the port area (Figures 1 - 17). There is almost no rail service and little cranage at dock side. An excellent road net provides access to the urban area with rail and water borne traffic serving the his erland.

The port facilities reflect little change in the period.

25X1D

25





Make some size 64 x 7%

716/3 OF 18/17



## SHANG-HAI PORT


				• •
<u>Item</u>	Description ·	Length	Width .	Remarks
1-1	Pontoon Wharf Approach	60	20	25X1D
1-2	T-Head Pier Approach	220	40 30	Covered loading facility
1-3	Covered Pier	200	85 ,	
1-4	Pier	100		25X1D
1 <b>-</b> 5	Offshore Wharf 5 Approaches	400	30-40 20	Conveyor at N end
1-6	Covered Landin Approach	45	30 10	Two Dolphins outboard
1-7	T-Head Pier Approach	150	30 30	Covered loading facility
1-8	T-Head Pier Approach	220 695	1-0 25	Covered loading facility Covered conveyor
1-9	Pier	50		Not in use due to shallow water
1-10	Pier Approach	150	15	25X1D
1-11	T-Head Pier Approach	155	30	25X1D.
1-12	Covered Landing	30	30 10	
1-13	T-Head Pier	225		Coal handling facility 25X1D
1-14	T-Head Pior Approach	130	20 ` 15 .	
1-15	Pontoor arf Appreson		ìo	25X1D
1-16	L-Head Pier Approach	135	30 15	
1-17	Overhead Crane Crane Way	60'span 280	60	Extends over water
	· .			25X1



•...

Item	Description	Length	Width	Remarks
1-18	3 Shearlegs Cranes			Along mud bank
1-19	Offshore Wharf 2 Approaches	150	. 30	
1-20	Pier . ⊗	150 °	15	
1-21	Bridge Crane Crane Ways	110 1050	20	25X1D Extend to end of pier/wharf (19 and 20)
1-22	2 Repair Ways	205 150 70	10 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
1-23	Pontoon Wharf Approach	130	30 10	25X1D
1-24	Covered Pier	90 °	60	

to the same the same the same of the



CTCSTA


••.

Ιt	<u>em</u>	Description	Length	Width	Remarks
2 <b>-</b>	_	Marginal Wharf Filled Approach	340 250	35 170 <b>-</b> 205	l Mobile crane
2-	.2	Marginal Wharf (Coal storage area	1500	100	7 Mobile cranes 3 Drag lines)
2-	∙3	Offshore Wharf 2 Approaches	275		25X1D
2-	4	Pontoon Wharf Approach	250	30	(Joins 2-3) 25X1D
2-	5	Pontoon Wharf Approach	90	15	25X1D
2-	6	Offshore Wharf 4 Approaches	350	35	2 Mobile cranes 25X1D
2-	7	7 Short Piers	15-60' 10	ng	<u> </u>
2-8	3	Offshore Wharf 11 Approaches	1150	40 20	4 Mobile cranes
2-9	7	Storage Area Covered storage ap	1225 proximatel	1100 y 250,000 sq	Rail served

٠.

.


1



	!				
Item	Description	Length	Width .	Remarks	
3-1	Boat Repair Yard Pier	600 120	300 ´ 15	Small boat repair	
3-2	Offshore Wharf Approach	40	15	25X1D	
3-3	Offshore Wharf 2 Approaches	125		25X1D	
3	T-Head Pier Approach	50	15 15		
3-5	Pontoon Wharf Approa	40	10	25X1D	
3-6	Offshore Wharf 3 Approaches	320		3 Mobile cranes	25X1D .
3-7	Offshore Wharf Filled Approaches	· 300	30 30		25X1D
3 <b>-</b> 8	Offshore Wharf Filled Approaches	350 : 110	200	2 Possible crane	s
3-9	Probable Water Pumping Station 3 Intakes	100	55 diame	25X1D	
3-10	Offshore Wharf 3 Approaches	460	14C	3 Mobile cranes	
3-11	T-Head Pier Approach	55	20	25X1D	
3-12	Pier		15		
3-13	Offshore Wharf 2 Approaches	150	50 20	25X1D	
3-14	j Piers Storage building	70 300		Serve storage bu Multi story	ilding
3-15 .	3 Piers	55	10-15	Bulkheaded shore	eline
3-16	Offshore Wharf 2 Approaches	70	15	Ferry landing	
				25X1D	



<u>Item</u>	. Description	Length	Width .	Remarks
3-17	Shanghai Shijard Huang Tsu Boatyard 1 Marine Railway 6 Repair Ways 5 Covered Ways	260 70-130 70-130	55 55 55	Road and Rail served Numerous small shops and support buildings 25X1D
3-18	2 Piers 2 Overhead Cranes Crane Ways	350. · 125 500	85 20 125	Supporting Crane Ways
3-19	Shang-Hai Naval Bas and Shipyard Kiang Dock Company			Facilities include three graving docks, eleven building ways, six traveling jib cranes and two offshore fitting-out wharves



Cara A

<u>Item</u>	Description	Length	Width	Remarks
1-1	Offshore Wharf . 2 Approaches	70		Ferry landing
14-2	Offshore Wharf 2 Approaches	250	35 15	25X1D
14-3	Offshore Wharf 2 Approaches	185	35 15	
4-4	Offshore/Marginal Wharf 3 Approaches	1550		25X1D 4 Mobile cranes
4-5	Storage Area Covered Storage An Administrative/Hou			Secured square feet oximately 36,000 square feet
4-6	Shang Hai Shipyard Fing Nan Dock Compar A. Graving Dock B. Marine Tailway	290	50	25X1D ] coping)
4-7	Pontoon Wharf Approach	75	25 15	
4-8	Pontoon Wharf Approach		25 10	
4-9	Offshore Wharf 5 Approaches	350	30 15	Coal handling equipment
4-10	L-Head Pier Approach	35	15	25X1D
4-11	Pier	50	15	-
4-12	Covered Pic.		25	
4-13	Marginal Wharf	280		2 Coal handling T-Head cranes
4-14	Pier	50	15	
4-15	Pontoon Wharf	150	25 15	
4-16	Vulleular Felir Landing			25X1D
4-17	Covered T-Head Pier Approach	50	35	25X1D

<u>Item</u>	Description	Length	Width		Remarks	25X1	
4-18	Huang Pu Small Craft Yard A. 3 Marine Railways	300	15		4 small ve	ssels under	repair
4-19	T-Head Pier Approach	150	30		· .		
,4-20	Pontoon Wharf 2 Approaches	110			25X1D		
4-21	Offshore Wharf 5 Approaches	330	35 20				1
4-22	T-Head Pier Approach	370	. 15		25X1D		,
4-23	Storage Area Covered Storage	2000 · 155,000	1500 square	feet	Coal Storag	де	
4-24	Chiu Hsin Shipyard	ā.		_25	X1D	- //	
4-25	Pier	120					
4-26	T-Head Pier Approach	50	20 _ 15				
4-27	Vechicular Ferry Landing	18 1 ZZ	: ·		•		
4-28	Marginal Wharf	420	60		2 Mobile cr	anes	
4 <b>-</b> 29	Pontoon Wharf Approach	65	15 15	2000	,	•	
4-30	Tung-Chia-Tu	25X1D					-
	Shipyard 2 Quays Graving Dock	150 380	85 110	-	3 Mobile cr 1 Tower jib		
4-31	Offshore/Marginal Wharf	710	50		2 Mobile cr	anes	
4-32	T-Head Pier Covered Approach	60 1	15 15				
4-33	T-Head 11 Approach	60 60	25		25X1D		
4-34	Pier	55 <u>.</u>			20X1D		

25X1D

25X1


公司の大田本本の日本の日本の日本の大学を行うというには、日本の本人の日本の一本の一大学の大学のできた。 でんしゃかん インター 大学 はない あんしょ



25X1

Item	Description	Length	Width	Remarks
4-35	Offshore Wharf . 2 Approaches	160	30 15	25X1D
4-36	Offshore Wharf 3 Approaches	290	30 - 15	4 Mobile cranes
4-37	L-Head Pier (Covered) Approach	60 25	20	25X1D
4-38	T-Head Pler Approach	70 50	20	25X1D
4-39	Boat Landing	70	75	
1+-1+0	Pontoon Wharf (Covered) 2 Covered Appro	270 paches 50	25	• From building
4-41	Marginal Wharf	1050	80 .	

25X1D



Item	Description	Length	Width	Remarks
5 <b>-</b> 1	Pontoons 5 Approaches	545,	30 · 15 -	Series of pontoons and catwalks
5 <b>-</b> 2	Pontoon 2 Approaches	175	25 15	
5 <b>-</b> 3	Marginal Wharf	130	25	
5-4	Pier	60	15	Probable pontoon approach
5 <b>-</b> 5	Pontoon 1 Approach	<b>75</b>	30 15	
5 <b>-</b> 6	Covered Structure	75	45	·
5-7	Breasting Platform Approach	25	25 15	
5 <b>-</b> 8	Probable Pontoon 2 Approaches	140	25 15	Approaches covered
5 <b>-</b> 9	Pontoon Approach	70	30°	Approach covered
5-10	Probable Pontoon 2 Approaches	70	25 10	Approaches covered
5-11	Pontoons 2 Approaches	235	30 20	Series of pontoons and catwalks
5-12	Pontoons 9 Approaches	2680	30 15	Series of pontoons and catwalks
5-13	Pier	40	1. 15	Probable pontoon approach
5-14	Ferry Terminal 2 Approaches	<sub>.</sub> 55	25 15	Pontoon
5 <b>-</b> 15	Pontoons 8 Approaches 7 Approaches	1840	25 20 15	Series of pontoons and catwalks
5-16	Marginal Wharf	100	•	
5-17	Marginal Wharf	75		
5 <b>-</b> 18	Pontoon 1 Approach	130	25 15	
5-19	Pontoon 1 Approach	75	25	Covered

SERT

٠..

l				
Item	Description	Length	Width	Remarks /
5-20	Pontoon 1 Approach	100	30	Covered 25X1D
5-21	Pontoon 1 Approach	120	25 10	Covered 25X1D
5-22	Pontoon l Approach	40 .	25 	Covered
5-23	Pontoon 2 Approaches	60	25 	Possibly covered
5-24	Pontoon 1 Approach	60	<u>25</u>	25X1D
5-25	Pontoon 1 Approach	60	25 	25X1D
·5 <b>-</b> 26	Marginal Wharf 3 Possible	215	60	Building on wharf
	Pontoons 2 Approaches	405 oa	30 15	Outboard from wharf, possibly covered
5-27	Pontoons 4 Approaches	475	25 15	Series of pontoons
5-28	Pontoons 2 Approaches	— 175	30 15	Series of pontoons
5-29	Pontoons l Approach	345	30 15	Series of pontoons
5-30	Pier	60 .	20	
5-31	Pontoon 1 Approach	60	25 10	
5-32	Pontoon   1 Approach	75	30	
5 <del>-</del> 33	Pontoon 1 Approach	125	25 15	
5-34	Pontoon 2 Approaches	45	20 15	
5-35	Pontoons 7 Approaches	<sup>1</sup> 960	30 15	Series of pontoons and catwalks
•	_			25X1

~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
DEUI L	

Description	Length	Width	Remarks
Pontoons 3 Approaches	230	50 70	Series of pontoons; 1 covered
Pontoons 3 Approaches	230	50 ,40	Series of pontoons; 1 covered
Pier	45	25	
Pontoons 3 Approaches	230	50 70	Series of pontoons
Pontoons 2 Approaches	· 305	30 15	Series of pontoons
Pontoon 1 Approach	145	30 . , 15	4 Floating cranes
Pontoon 1 Approach	90	25 <b>-</b> 15	
F-Head Pier Approach	235	40 20	
Pontoon 2 Approaches	140	25 20	
Breasting Platform	40	30 15	
L-Head Pier Approach	100	40 30	•
Pier	40	30	
Pontoon l Approach	140	30 20	
L-Head Pier Approach	100	25 20	
T-Head Pier Approach	193	40 15	
Pontoon 2 Approaches	185	10	
Pontoon 1 Approach	60	25 	25X1D
	Pontoons 3 Approaches  Pontoons 3 Approaches  Pier  Pontoons 3 Approaches  Pontoons 2 Approaches  Pontoon 1 Approach  Pontoon 1 Approach  F-Head Pier Approach  Breasting Platform  L-Head Pier Approach  Pier  Pontoon 1 Approach  L-Head Pier Approach  T-Head Pier Approach  T-Head Pier Approach  Pontoon 2 Approach  Pontoon 2 Approaches	Pontoons 3 Approaches  Pontoons 230 3 Approaches  Pier 45  Pontoons 3 Approaches  Pontoons 2 Approaches  Pontoon 1 Approach  Pontoon 1 Approach  Pontoon 2 Approaches  Breasting Platform  Pier 40  Pontoon 1 Approach  T-Head Pier Approach  Pontoon 185 2 Approaches  Pontoon 60	Pontoons       230       40         3 Approaches       20         Pontoons       230       40         3 Approaches       20         Pier       45       25         Pontoons       230       40         3 Approaches       20         Pontoons       305       30         2 Approaches       15         Pontoon       145       30         1 Approach       15         Pontoon       90       25         1 Approach       20         Pontoon       140       25         2 Approaches       20         Breasting Platform       40       30         15       15         L-Head Pier       100       40         Approach       20         L-Head Pier       100       25         Approach       20         T-Head Pier       190       40         Approach       15         Pontoon       185       40         2 Approach       15         Pontoon       185       40         2 Approaches       10


SEGRET.

25X1

<u>Item</u>	<u>Description</u>	Length	<u>Width</u>		Remarks
5-53	Pontoon 2 Approaches	. 60	25 15		
5-54	Breasting Platform Approach	25	10		05)/45
5-55	2 Breasting Platform	ms 30 .		•	25X1D

2

Seener



MAKE SAME SIZE 64×72

12037 P 1917

Siene

			ŕ	<i>/</i> -
<u>Item</u>	Description	Length	Width .	Remarks
6-1	Pontoon	160	30	
6-2	2 Breasting Platfor	cms	·	
6-3	Pontoon 2 Approaches	190	30 : 15	
6-4	Pontoon 2 Approaches	300 .	30 15	
6-5	Pontoon 1 Approach	125	30 15	
6 <b>-</b> 6	T-Head Pier Approach	60	20 10	
6-7	Pontoon	55	15	Along shore
6-8	Marginal Wharf 2 Automotive crar 1 Conveyor	2490 nes		Includes offshore section
<b>6-</b> 9	Pontoon 3 Approaches	535	30 30 <b>-</b> 15	25X1D
6-10	Pontoon 1 Approach	45	25 30	•
6-11	Marginal Wharf	2005		2 Automotive Cranes
6-12	Pier	40		
6-13	Offshore Wharf 2 Approaches	115	25 15	
6-14	Possible Breasting Platform Approach	15 .	10 	OFVAD
6-15	Pontoon 1 Approach	45	25 5 ·	25X1D
6-16	Pier	75	15	
6-17	L-Head Pier	85	75	Outline only
6-18	Pontoon 1 Approach	130	35 15	
	<u></u>			



	•			
<u>Item</u>	Description	Length	Width ·	Remarks
6 <b>-</b> 19	Possible Pier	70	. 55	
6-20	Pier	55	15	
6-21	Pontoon 2 Approaches	55	25 5	
6-22	Pontoon 1 Approach	115	60 	25X1D
6-23	Pontoon 2 Approaches	175	25 15	
6-24	Marine Railway Portal Jib Crane	335	20	Visible .
6-25	Pontoons 1 Approach	480 ов	30	Series of pontoons and catwalks
6-26	Marine Railway Probably 17 Tracks Cradle	270 oa 155 270	155 Varies 30	Visible 14 Tracks visible in 17 Tracks visible in
6-27	Wharf Pontoon Moored at Wharf	60	40	2 Approches, rest silted in •
6-28	Pontoon 1 Approach	130	30 15	
6-29	Offshore Wharf 3 Approaches Crane Way 1 Portal Jib Crane 2 Automotive Jib C		30 25 25	

CLUMIT

	• -				a •
Item	Description .	Length	Width	Remarks	•
7-1	Marginal Wharf 2 Automotive Cra	475 nes			
7 <b>-</b> 2	Pontoon 1 Approach	55	25 15		
7-3	Marginal Wharf	975	•		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
7-4	Marginal Wharf	85			
	Shang-Hai Shipyard	. Shang-Hai	i Dockyards	New Works (Items 5-9)	a las benegen maggin. The appropriate are distincted the second
· 7 <b>-</b> 5	Graving Dock, Copi	ng 575	100	2 Automotive cranes	<b>3</b> · - · - · - · · · · · · · · · · · ·
7-6	Graving Dock, Copi	ng 335	75 .	· · · · · · · · · · · · · · · · · · ·	
7-7	Marginal Wharf	725 oa	o	Fitting-out wherf; includes gate of 6	length
7 <b>-</b> 8	Marine Railway	320 = -	15	Approximate length	
7-9	Pontoon 1 Approach	60	30 10		•
7-10	T-Head Pier Approach	15		25X1D	ı
7-11	Pontoons 5 Approaches	360	30 10	Series of pontoons	and catwalks
7-12	Ferry Terminal	75	25	Pontoon	· · · · · ·
7-13	Pontoon 2 Approaches	200 .	30 20 _	•	-
7-14	Offshore Wharf 2 Approaches 1 Floating Crane	200	50 70		
7-15	Marginal Wharf Crane Way 1 Portal Jib Cra 3 Automotive Cra		25		
7-16	Pontoons 5 Approaches	960	30 20	Series of pontoons	
7-17	Pontoons 2 Approaches	305	30 20	Series of pontoons	
7-18	Pier	- 10 2:11:2		25X1	
					. 1

٠..

Item

Description

<u>Length</u>

Remarks


7-19

Pontoons 2 Approaches 315 30 15

Width

Series of pontoons

\_25X1



12037 P FIRE OF 18-17



٠.				•
<u>Item</u>	Description	Length	Width .	Remarks
8-1	Pontoon 2 Approaches	100	40 15	Covered
8-2	Pontoon 1 Approach	70	30 10	
8-3	Finger Pier	70		25X1D
8-4	Pontoon 1 Approach	70	25 25	
8-5	Pontoon/Breasting Platform	· · · · · · · · · · · · · · · · · · ·		and the second s
8-6	Pier	60 <sub>/ °</sub>	15	
8-7	Pier	40	20	
8-8	Pier '	40	20	
8-9	Probable Pontoon	45	25	
8-10	Pier	40	15	•
8-11	Pier	55	_ 15	
8-12	L-Head Pier Approach	90	25 20	
8-13	T-Head Pier Approach	305	10 20	•
8-14	Pier	95	. 10	· ,
8-15 -	Marginal Wharf Overhead Coal Conveyor	345	20	Includes offshore extension
8-16	Pontoons 5 Approaches	605	·30 15	Series of pontoons and catwalk
8-17	Pontoon 1 Approach	60	. 25	25X1D
8-18	Pontoons 2 Approaches	200	25 10	Series of pontoons
		. —		




**SAUTHER** 

Item	Description	Length	Width	Remarks
8-19	Ferry Terminal .			
8-20	Marginal Wharf 3 Automotive Cran	2390 es		
8-21	Marginal Wharf	750	• •	Coal storage
8-22	Pontoon 1 Approach	45	15 10	
8-23	Pier	30	15	
8-24	Pier	° 60	15	
8-25	Pontoons 2 Approaches	170 60	25 10	Series of pontoons
8-26	Pier	60	15	
	Shang-Hai Shipyard ( (Items 27 - 36)	Shang-Hai )	Dockyard	(International Dock)
8-27	Pontoon 1 Approach	180	25 10	
8-28	Pontoons	540	30	Series of pontoons and catwalks; catwalk to item 29
8-29	Wharf	585 45	30 30	2 Offshore sections
	2 4	190		l Marginal section
	3 Approaches	-1 -	20 .	·
6 - 1	Crane Way l Portal Jib Crane	340	25	/
8-30	Graving Dock, Coping	555	120	
8-31	Quay	85	.'	
8-32	Pontoon 1 Approach	100	30 10	
8-33	Offshore Wharf 2 Approaches Pontoon moored	120	. 5	
ا ،	alongside	80	15	
	<u> </u>	<u> </u>		



. <u>Item</u>	<u>Description</u>	Length '	<u>Width</u>	Remarks
8-34	Side Launching Ways Cradle	350-415 170	175 10	9 Rails
8-35 -	Transverse Building Ways 5 Ways 1 Way	440 230	20 20	
`8-36	Pontoons 6 Approaches	380	25 10	Series of pontoons and catwalks

CLUME



Make some size- 64'x 712.

12037 P FIG BOF #817

Item	Description	Length	Width	Remarks
9-1	Marginal Wharf	45	40	
9-2	Marchinal Wharf	85	25	Possibly covered
9-3	T-Head Pier Approach	55	10	
9-4	T-Head Pier Approach	85		In wet basin
·9 <b>-</b> 5	Marginal Wharf	275		Faces wet basin
9 <b>-</b> 6	Marginal Wharf 1 Overhead Conve	630 eyor		25X1D
9-7	Pier	45	15	•
9-8	Ferry Terminal			# <u> </u>
9-9	Pontoon 1 Approach	100	20 10	Λ .
9-10	Pier	90	5	
9-11	Pontoons 3 Approaches	650	30 15	Series of pontoons and catwalks
9-12	T-Head Pier Approach	220	40 25	
9-13	Pontoon 2 Approaches	155	30 15	• 1/
9-14	Pontoon 1 Approach	45	15 15	
9-15	3 Breasting Platfo	rms 25	20	
9-16	Marine Railway	105	20	1 Set of tracks
9-17	Pontoon 1 Approach	150	25 <b>15</b>	
9-18	Pontoons l Approach	170	25	2 Pontoons and catwalks
9-19	Ferry Terminal			

Gidini

25X1

25X1


25X1

## CECOET CEUTLE

<u>Item</u>	Description	Length	Width Remarks
	Hu-Tung Shipyard (I	tems 20 -	26)
9-20	Marine Railway	165	15
9-21	Offshore Wharf 2 Approaches	225	35 25
9-22	Offshore Wharf	1120	35
٠.	5 Approaches	% 1 ZE = 3	30
9-23	Transverse Launchin Way Cradle	g 350 350	335 20:
9-24	Building Ways 4 2 Ways 2 Ways 2 Crane Ways 1 Crane Way	880 860 885 860	105 85
9-25	Offshore Wharf 1 Approach	460	45 20
9-26	Pier	85	20

25X1





10 Make some size 64 x 710

12037 P 17



•	OLUME!				.1
			•	•	:,
<u>Item</u>	Description	Length	Width	Remarks	7
	Chung Hua Shipyard	(Items 1	<b>-</b> 6)		
10-1	3 Marine Railways e	a-135	10	End haul type	
10-2	Pontoons Approach Approach Floating Crane	570	30 25 15	3 Pontoons	
10-3	3 Building Ways e 3 Crane Ways	a:985 985	45 .		
10-4	Offshore Wharf 2 Approaches	105	30 15		
10-5	Pier	55 ·	20	Possible pontoon approach	
10-6	Pier	55	20	Possible pontoon approach	
10-7	Offshore Wharf 2 Approaches	390	35 40		
10-8	Pontoon 1 Approach	110	25 10		.    •
10-9	Boatyard  2 Marine Railways Transverser, 8 rails Cradle 7 Building Ways Building Ways	165 265 oa 265 oa 265 oa 265 oa	15 100 ca 10 125 ca 165 ca	Visible section; end haul ty Inland from marine railways Inland from transverser; riverward from transverser, area includes marine railways	and the and,
	Shang-Hai Marine Pro	ducts (It	ems 10-14)	_	
10-10	Pontoons 3 Approaches	635 oa	25 10	Series of pontoons and catwa	lks
10-11	T-Head Pier Approach 2 Overhead Convey	195 ors	40 35	To probable ice house	_
10-12	Offshore Wharf 4 Approaches 1 Overhead Convey	780 or	35 40	2 Covered. 25X1	
10-13	Offshore Wharf 3 Approaches	1160	30 25	(10-connected by pontoon timbers against faces of landing structures)	s
	STORE !			1	


CEUNET

25X1

## 25X1D

Item	Description	Length	Width	Remarks	-
10-14	T-Head Pier Approach 1 Overhead Conve Connects to Mai	280 oa eyor Inland		Breasting platform and dolphins connected by catwalk	ε
10-15	Pontoons 3 Approaches	540 .	35 15	Series of pontoons and catwalk	8
10-16	L-Head Pier Approach	110	15 10	Oil pier	
10-17	L-Head Pier Approach	25	10 25		
10-18	Pier	50	10		

و قادر ال



Make some size- 64 x 776


12037P

Item Description Length Width Remarks Jukong Naval Wharves (Items 1 - 3) 50 45 11-1 Wharf 555 Combination marginal and off-3 Approaches shore 50 45 11-2 Wharf 550 Combination marginal and off-3 Approaches shore 30 10 11-3 Pontoon 200 1 Approach 1 Possible Conveyor 11-4 Offshore Wharf 230 40 20 2 Approaches

Ö

CLURE





Make some size - 64"x 7%


12037 P FIC 50F 117 OF COLUMN

· · Remarks

Item	Description	Length	Width
12-1	L-Head Pier Approach	90	25 10
12-2	Pier	135	10
12-3	Pier	135	10
12-4	Marginal Wharf	185	65
12-5	Pier	135	10
12-6	Pier	135	10
12-7	Pier	45	. 20
-			

SEC112

1. T.




25X1

OLUML!

Item .	<u>Description</u>	Length	Width	Remarks
13-1	T-Head Pier Approach	80	30 20	
13-2	Pontoons 3 Approaches	365	30 20	
13-3	Approaches (2)	1		Unused
13-4	T-Head Pier Approach	_ 115	30	
13 <b>-</b> 5	Pontoon 1 Approach	125	15 20	
13-6	Pontoon 1 Approach	115	25 20	
13-7	T-Head Pier Approach	395	20 <b>-</b> 40 20	
13-8	Pontoons 6 Approaches	945	25 20 :	Series of pontoons and catwalk 4 papelines onto structure; 2 unused approaches
13-9	Pontoons 1 Approach	70	25 20	Pipeline onto structure
13-10	Pontoon 1 Approach	110	30 15	
13-11	Pontoons 2 Approaches	250	30	
13-12	Pontoons 1 Approach	250	30 20	
13-13	Pontoons 1 Approach	250	30 20	
13-14	Pier	75	10	
13-15	Pontoon 1 Approach	280	30 15	
13-16	T-Head Pier Complex Approach	305*	30* <b>T-</b> Head 25	pier, 2 breasting platforms and catwalks

<sup>\*</sup> Overall

SIGNLI.



## SECRET

	•		:	
Item	Description	Length	Width	Remarks
14-1	T-Head Pier Approach	90	15 15	Oil pier
14-2	Pontoon 1 Approach	225	30 20	
14-3	Pontoon 1 Approach	225 .	30 15	
14-4	Pontoon 1 Approach	225	30 30	· · · · · · · · · · · · · · · · · · ·
14-5	T-Head Pier Approach	70	15 - 15 —	
14-6	Pontoon 1 Approach	<b>55</b>	20 15	
14-7	Pontoons 2 Approaches	170	20 10	2 Overhead coal conveyors
14-8	Pontoons 2 Approaches	340	20 /	2 Overhead coal conveyors
14-9	Breasting Platforms (2) Approaches	45	30 10	
14-10	Offshore Wharf 2 Approaches	25	20 10	Overhead conveyor
14-11	Pontons 1 Approach	320	<sup>,</sup> 30	•
14-12	Pier	75	30	
14-13	Pontoon 1 Approach	35	20 10	
14-14	Pontoons 1 Approach	475	30 10	

CTOME

SLONLT

25X1

Item	Description	Length	Width	Remarks	
	Chang-Hua-Peng Shi	pyard (Ite	ms 1 - 6)		
15-1	L-Head Pier Approach	20	10 10	·	
15-2	Marginal Wharf	115	. 30		
15-3	Marine Railway	180*	100*	3 Sets of rail	s; end haul
15-4	Marginal Wharf	645	60		
15-5	Graving Dock, Copi	ing 265	<del>110</del>	and the second second	
15-6	Marine Railway	125 =	30	1 Set of rails	; end haul
15-7	Pontoon 1 Approach	50	20 15		

25X1

Overall

<del>SECRET</del>

SECOLE .


25X1D

	Item	Description	Length	<u>Width</u>	Remarks
	16-1	Marginal Wharf	490	60 ·	Conveyors present in removed
	16-2	Offshore Wharf l Approach 2 Approaches	370	40 50 20	
	16-3	Marginal Wharf	1560		Curved face; 1 possible portal jib crane
•	16-4	Pontoon 1 Approach	130	35 10	
	16-5	Pontoons - 1 Approach	75	35 10	
	16-6	Pier	50	10	
	16-7	Pontoon 1 Approach	45	15 10	<del></del>
	16-8	Pontoon 1 Approach	75	30 15	
	16-9	Probable Pontoon 1 Approach	65	10 10	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	16-10	Pontoons 1 Approach	55 1050	10	Long aproach
				/	•

SEGNET

25X1

SECKET 25X1 RED INDICATES NEW CONSTRUCTION TIDAL MUD FLAT NAVAL BARRACKS AND RADIO STATION MID MAINTENANCE MARD Hindig by chicage you SHANG-HAI SECRET | 17037 P/C4
FIGHT OF FRIT 25X1



25